

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B1B2: Beltsville-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
						Too steep for surface application	0.08
B1C3: Beltsville-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
BtA: Butlertown-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Restricted permeability	0.94
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
BtB2: Butlertown-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Restricted permeability	0.94
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
						Too steep for surface application	0.08
BtC3: Butlertown-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Low adsorption	1.00	Restricted permeability Slope	1.00	Low adsorption	1.00
		Seepage	1.00		1.00	Too steep for surface application	1.00
		Too acid	0.91			Restricted permeability	0.94
		Depth to saturated zone	0.43			Too acid	0.91
		Too steep for surface application	0.22			Depth to saturated zone	0.43
Co: Coastal Beaches-----	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Elkton-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
Es: Escarpments-----	100	Not rated		Not rated		Not rated	
EvB: Evesboro-----	100	Very limited Seepage	1.00	Somewhat limited Too acid	0.42	Very limited Too acid Filtering capacity	1.00 1.00
		Too acid	1.00				
EvC: Evesboro-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvE: Evesboro-----	100	Too acid	1.00	Too acid	0.42	Too steep for surface application	1.00
		Too steep for surface application	0.50			Filtering capacity	1.00
						Too steep for sprinkler application	0.50
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.42	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	1.00
FsA: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.04
		Low adsorption	0.04				
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Low adsorption	0.04
		Low adsorption	0.04				
FsB: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
		Low adsorption	0.04			Low adsorption	0.04
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Gp: Gravel And Borrow Pits-----	95	Low adsorption	0.04			Low adsorption	0.04
		Not rated		Not rated		Not rated	
HoB2: Howell-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	1.00	Too acid	0.42	Restricted permeability	0.15
						Too steep for surface application	0.08
HoC2: Howell-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50	Too acid	0.42	Too steep for sprinkler application	0.50
						Restricted permeability	0.15
HoD2: Howell-----	100	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Seepage	1.00	Too acid	0.42	Too acid	1.00
						Restricted permeability	0.15
HwB2: Howell-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	1.00	Too acid	0.42	Restricted permeability	0.15

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HyC3: Howell-----	100					Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.50	Too acid	0.42	Too steep for sprinkler application	0.50
HyD3: Howell-----	100					Restricted permeability	0.15
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Seepage	1.00	Too acid	0.42	Too acid Restricted permeability	1.00 0.15
ImB: Iuka-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.67
		Too acid	0.67				
		Flooding	0.40				
KpA: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KpB2: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Made Land-----	100	Seepage	1.00	Too acid	0.14	Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
						Too steep for surface application	0.08
M1A: Marr-----	100	Not rated		Not rated		Not rated	
M1B2: Marr-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too acid	0.91
		Too acid	0.91				
M1C2: Marr-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too acid	0.91
		Too acid	0.91			Too steep for surface application	0.08
M1C3: Marr-----	100	Very limited Seepage	1.00	Very limited Restricted permeability Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Too acid	0.91			Too acid	0.91
M1D3: Marr-----	100	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Seepage	1.00	Very limited Slope Restricted permeability	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00			Too steep for surface application	1.00
		Too acid	0.91			Too acid	0.91
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmA: Matapeake-----	100	Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid	1.00
MmB2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 0.08
MnA: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid	1.00
MnB2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 0.08
MnC2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.22
MnC3: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnD3: Matapeake-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
MtA: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
MtB2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
MuA: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
MuB2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
MuD3: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
My: Mixed Alluvial Land-	100	Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.78	Too acid	0.14	Too steep for sprinkler application	0.78
		Not rated		Not rated		Not rated	
OcB: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too acid	0.77
		Too acid	0.77				
		Flooding	0.40				
OtA: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.15
OtB: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.15
						Too steep for surface application	0.08
RdB: Rumford-----	100	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.32	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.03	Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
						Too steep for surface application	0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RdC2: Rumford-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 0.22	Very limited Slope Restricted permeability Too acid	1.00 0.32 0.03	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 0.22
RdD2: Rumford-----	100	Very limited Seepage Low adsorption Too steep for surface application Too acid	1.00 1.00 1.00 1.00	Very limited Slope Restricted permeability Too acid	1.00 0.32 0.03	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid Filtering capacity	1.00 1.00 1.00 1.00 1.00
ReB: Rumford-----	70	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Restricted permeability Too acid	0.32 0.14	Very limited Low adsorption Too acid Filtering capacity Too steep for surface application	1.00 1.00 1.00 0.08
Evesboro-----	30	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Too acid	0.14	Very limited Low adsorption Too acid Filtering capacity Too steep for surface application	1.00 1.00 1.00 0.08
ReC: Rumford-----	60	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	40	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	1.00
ReD: Evesboro-----	50	Too steep for surface application	0.50			Filtering capacity	1.00
						Too steep for sprinkler application	0.50
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for surface application	1.00
Rumford-----	50	Low adsorption	1.00			Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
						Filtering capacity	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
SaA: Sassafras-----	100	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
SaB2: Sassafras-----	100	Too acid	1.00	Too acid	0.14		
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
SaC2: Sassafras-----	100	Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
		Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShA: Sassafras-----	100	Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
ShB2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
ShC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
ShC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
ShD2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
ShD3: Sassafras-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SlA: Sassafras-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SlB2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SlC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SpB2: Sassafras-----	60	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
Westphalia-----	40	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
SpC3: Sassafras-----	60	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Westphalia-----	40	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
SrE: Sassafras-----	60	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Westphalia-----	40	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Sx: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaC2: Westphalia-----	100	Too acid	1.00			Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
WaC3: Westphalia-----	100	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
WaD2: Westphalia-----	100	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
WaD3: Westphalia-----	100	Too acid	1.00			Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
WoA: Woodstown-----	100	Too acid	1.00			Too acid	1.00
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB: Woodstown-----	100	Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08

